# Safety Data Sheet

### Section 1. Identification

GHS product Identifier : RG-2400® LT
Product code : Not available
Other means of identification
Product type : Creamy gel like

Relevant identified used of the substance or mixtures and uses advised against

Identified use: Coating for the prevention of corrosion.

**Manufacturer** Polyguard Products, Inc.

4101 South Interstate 45

Ennis, TX 75119 Tel: (214) 515-5000

Emergency telephone number) with hours of operation)

CHEMTREC, US 1-800-424-9300 International 1-703-527-3887

(24/7)

### **Section 2. Hazards Identification**

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazardous

Communications Standard (49CFR1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture

: Not classified

Titanium Dioxide is not in its respirable form and is a constiuent of the

mixture.

**GHS** label elements

Signal word : No signal word

**Hazard statement** : No known significant effects or critical hazards.

**Precautionary statements** 

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.Hazards not otherwise: None known

classified

### Section 3. Composition/Information on Ingredients

Substance/Mixture : Mixture
Other means of identification : Not available

Ingredient name	%	CAS Number
Titanium Dioxide	0.1-0.2	13463-67-7

United States: the exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with paragraph (i) of 1912.1200.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentration applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### **Section 4. First Aid Measures**

### Description of necessary first aid measures.

**Eve contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if irritation occurs.

Skin contact

: Flush contaminated skin with plenty of soap and water. Get medical attention if symptoms occur.

Ingestion

: Wash out mouth with water. Remove victim to fresh air and keep at a rest position comfortable for breathing. If material has been swallowed and the exposed person is conscious give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact
Inhalation
Skin contact
Ingestion

: No known or significant effects or critical hazards.
: No known or significant effects or critical hazards.
: No known or significant effects or critical hazards.
: No known or significant effects or critical hazards.
: No known or significant effects or critical hazards.

### Most important symptoms/effects, acute and delayed

Over-exposure signs/symptoms

Eye contact: No known or significant effects or critical hazards.Inhalation: No known or significant effects or critical hazards.Skin contact: No known or significant effects or critical hazards.Ingestion: No known or significant effects or critical hazards.

### Indication of immediate medical attention and special treatment needed, if necessary.

Notes to physician:

**Specific treatments** 

: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been indested or inhaled.

: No specific treatment

Protection of first-aiders:

: No action shall be taken involving any personal risk or without suitable training.

# **Section 5. Fire-Fighting Measures**

**Extinguishing media** 

Suitable extinguishing media
Unsuitable extinguishing media

Specific hazards arising from

the chemical Hazardous thermal

decomposition products
Special protective equipment

: Use an extinguishing agent suitable for the surrounding fire.

: None known

: No specific fire or explosion hazard.

: Decomposition products may include the following materials: Metal oxides/oxides.

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective actions for fire fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in a positive pressure mode.

### **Section 6. Accidental Release Measures**

### Personal precautions, protective equipment and emergency procedures.

For non emergency personal

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not tocuh or walk thru spilled material. Put on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel.

**Environmental precautions** 

: Avoid disposal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).

### Methods and materials for containment and cleaning up

Spill

: Stop leak if without risk. Move container from spill area. Approach release from upwind. Prevent entry into sewers, water courses. Contain and collect spillage with non-combustible absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations Dispose of via a licensed waste disposal contractor. See Section 13 for waste disposal.

## Section 7. Handling and Storage

Precautions for safe handling Protective measures

Advice on general occupational hygiene

- : Put on appropriate personal protective equipment (see Section 8).
- : Eating, drinking and smoking should be prohibited in areas where material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry cool and well-ventilated area, away from incompatible materials ( see section 10) and food and drink. Keep container tightly closed and sealed until ready to use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See section 10 for incompatible materials be handling or use.

# **Section 8. Exposure Controls/Personal Protection**

# **Control parameters Occupational exposure limits**

Ingredient name	Exposure limits	
Titanium Dioxide	ACGIH TLV (United states, 3/2017)	
	TWA: 10 mg/m <sup>3</sup> 8 hours	
	OSHA PEL 1989 ( United states, 6/2016)	
	TWA: 15 mg/m <sup>3</sup> 8 hours Form: Total dust	

Appropriate engineering controls Environmental exposure

controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminates.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

# Section 8. Exposure Controls/Personal Protection

**Hygiene measure:** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking, and using the lavatory and at the end of the working

period. Appropriate techniques should be used to remove potentially

contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the work station location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when risk assessment indicates this is necessary to avoid exposure to liquid splashes,

mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Safety

glasses with side shields.

Skin Protection

Hand protection : Chemical- resistant, imprevious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk

assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task

being preformed and the risks involved and should be approved by a specialist

before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be

selected based on the task being preformed and the risks involved and should be

approved by a specialist before handling this product.

Respiratory protection : Use a properly fitted, air purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator

selection must be based on known or anticipated exposure levels, the hazards of

the product and the safe working limits of the selected respirator.

# **Section 9. Physical and Chemical Properties**

**Appearance** 

Physical state : Liquid [Creamy gel]

Color : Bluish

Odor : Not available
Odor threshold : Not available
pH : Not applicable
Melting point : Not available
Boiling point : Not available

Flash Point : Open cup: 179.44 °C (355 ° F) Cleveland

Evaporation rate: : Not available
Flammability (solid, gas) : Not available
Lower & upper explosive (flammable) limits : Not available
Vapor density : Not available
Vapor pressure : Not available
Relative density : 0.95-1.15

Solubility : Insoluble in water.
Partition coefficient: n- : Not available

octanol/water

Auto- ignition temperature : 434 to 437 °C (813.2 to 818.6° F)

**Decomposition temperature** : Not available **Viscosity** : Not available

## Section 10. Stability and Reactivity

Reactivity : No specific test data related to reactivity available for this product or its

ingredients.

: This product is stable. Chemical stability

Possibility of hazardous

reactions

products

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: : No specific data.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials.

**Hazardous decomposition** : Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

### **Section 11. Toxicological Information**

### Information on toxicological effects

**Acute toxicity** : There is no data available. Irritation/Corrosion : There is no data available. Sensitization : There is no data available. Mutagenicity : There is no data available.

Carcinogenicity

Product/ingredient name	OSHA	IARC	NTP
Titanium Dioxide	-	2 B	-

Reproductive toxicity : There is no data available. **Teratogenicity** : There is no data available. Specific target organ toxicity : There is no data available.

( single exposure)

Specific target organ toxicity

(repeated exposure)

**Aspiration Hazard** 

Information on the likely routes

of exposure

: There is no data available.

: There is no data available.

: Dermal contact, eye contact, ingestion.

Potential acute health effects

**Eve contact** : No known significant effects or critical hazards. : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

**Eve contact** : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Ingestion

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects: : No known significant effects or critical hazards. Potential delayed effects: : No known significant effects or critical hazards.

# **Section 11. Toxicological Information**

Long term exposure

Potential immediate effects: : No known significant effects or critical hazards. : No known significant effects or critical hazards. **Potential delayed effects:** 

Potential chronic health effects

General : No known significant effects or critical hazards. : No known significant effects or critical hazards. Carcinogenicity Mutagenicity : No known significant effects or critical hazards. **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards.

**Numerical measure of toxicity** 

**Acute toxicity estimates** : There is no data available.

# **Section 12. Ecological Information**

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Titanium dioxide	Acute LC50> 1000000 μg/l Marine	Fish-Fundulus heteroclitus	96 hours
	water		

Persistence and degradability : There is no data available. : There is no data available.

**Bioaccumulative potential** 

**Mobility in soil** 

Soil/water partition coefficient : Not available.

 $(K_{oc})$ 

Other adverse effects : No known significant effects or critical hazards.

## **Section 13. Disposal Considerations**

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recycled products via a licensed waste disposal contractor. Waste should not be disposed of to a sewer. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, water ways, drains and sewers.

# **Section 14. Transportation information**

**DOT/IATA/IMDG** : Not regulated

## **Section 15. Regulatory Information**

**US Federal Regulations** : United States inventory (TSCA 8 b): All components are listed or exempted.

Clean air act section 112 : Not listed.

(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 : Not listed.

**Class I Substance** 

Clean Air Act Section 602 : Not listed.

**Class II Substance** 

**DEA List I Chemicals**: Not listed.

( Precursor Chemicals)

**DEA List II Chemicals** : Not listed.

(Essential Chemicals)

SARA 302/304 : No products found SARA 304 RQ : Not applicable. SARA 311/312

Classification : Not applicable.
Composition/information on ingredients

Name	Classification
Titanium Dioxide	Carcinogenicity- Category 2

SARA 313
 This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

State Regulations
Massachusetts

: The following components are listed: Distillates (petroleum), hydrotreated heavy paraffinic; Distillates (petroleum), solvent-dewaxed heavy paraffinic; Distillates (petroleum), hydrotreated light paraffinic; Distillates (petroleum), solvent-dewaxed light paraffinic; Silicic acid. calcium salt.

New York New Jersev : None of the components are listed.
: The following components are listed: Silicic acid, calcium salt; Titanium dioxide.
: The following components are listed: Silicic acid, calcium salt; Titanium dioxide.

New Jersey Pennsylvania California Prop 65

**WARNING:** This product can expose you to Titanium dioxide which is known to the State of California to cause cancer. For more information, visit <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

### 16. Other information

Date of revision: June 4, 2019
Date of previous issue April 15, 2019

Revisions: Create US only version

Version 7

Prepared by C. Rogalski

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.